



## NFT10 Pilot Pro mobile computers

## Features

### Comprehensive data capture.

The NFT10 Pilot Pro can be integrated with a variety of data capture options including Mega Pixel 1D/2D barcode scanning, NFC RFID reading, fingerprint recognition and GPS/Beidou/GLONASS.

### Versatile connectivity.

With dual band 802.11 a/b/g/n/ac WiFi and 4G/3G/2G support, the NFT10 Pilot Pro keeps you connected. Further optimizing this, the dual SIM option allows you to use the most suitable provider no matter where you are. It's a match for any leading consumer-brand mobile phone experience.

### Powerful performance.

The Android 9.0 operating system helps you get more from your mobile computer. It's intuitive, fast and tailored to you and your choice of software, applications and operational use. A 2.0GHz octa-core processor keeps you running even smoother.

### Long Lasting Battery.

The NFT10 Pilot Pro is equipped with a 4800mAh battery. Supplemented by a low-power design, the usage time is significant. The device is so power-efficient that you won't need to change the battery to operate well beyond a standard shift. To top it off, it supports fast-charging via its Type-C port.

### Android Enterprise Recommended.

The Pilot Pro is the first Newland unit to be Android Enterprise recommended. Additionally, GMS services are included.

### Rugged durability.

The NFT10 Pilot Pro's rugged housing is sealed to IP67 standards for protection against dust and water. It was built to reliably withstand 1.5m drops to concrete.

### Biometric Security.

The NFT10 Pilot Pro has fingerprint biometrics for extra security and a faster login. Positioned on the back of the device, the device can be comfortably unlocked with one hand without having to press the front of the screen.



## Application Scenarios



# NFT10 Pilot Pro technical specifications

Performance	Operating System	Android 9.0
	Processor	2.0 GHz octa-core 64-bit
	Memory RAM	4GB
	Memory Flash	64GB
	Memory Storage Expansion (Max.)	TF card (max 128GB) slot
	Field of View Vertical	28°
Data capture	1D	Code128, UCC/EAN-128, AIM-128, EAN-8, JAN-8, EAN-13, ISBN/ISSN, UPC-E, UPC-A, Interleaved 2/5, ITF-6, ITF-14, Deutsche 14, Deutsche 12, COOP 25, Matrix2/5, Industrial 2/5, Standard 25, Code 39, Codabar/NW7, Code 93, Code 11, Plessey, MSI/Plessey, GS1 Databar, etc.
	2D	PDF417, QR Code, Data Matrix, Chinese Sensible Code, Aztec, etc.
Physical	Dimensions (mm)	157 x 76.3 x 12.6mm
	Weight	231g (including battery)
	Display	5.7" (1440x720) 18:9
	Touch panel	multi-point capacitive touch screen
	Keypad	5 keys (side keys included)
	Interfaces	Type-C 2.0 OTG, support Type-C Earphone
	Battery Type	4.35V, 4800 mAh
	Notifications	Vibrator, speaker and multi-color LEDs
	Power Supply Input	AC110 ~ 220V, 50~60Hz
	Power Supply Output	DC5V/9V, 1.67A
	Sensors	Light & Proximity sensor, accelerometer sensor, magnetic sensor
	Audio Jack	Type-C earphone via Type-C USB Port
	Expansion Slot	TF card (max. 128GB) slot; Nano+Nano or Nano+TF
Environmental	Camera	Front Camera: 2 megapixels, fixed focus; Rear camera: 13 megapixels, auto focus, with LED flashlight
	Operating Temperature	-20°C to 50°C (-4°F to 122°F)
	Storage Temperature	-30°C to 60°C (-22°F to 140°F)
	Humidity	5% to 95% (non-condensing)
	Electro Static Discharge (ESD)	±12kV (air discharge); ±8kV (direct discharge)
	Drop	1.5m drops to concrete (BG/T 2423.8-1995 PART2)
Wireless	Sealing	IP67
	WWAN Radio	2G: GSM/GPRS/EDGE (850/900/1800/1900MHz); 3G: WCDMA (B1, B2, B5, B8); CDMA 1X/EV-DO (BC0); TD-SCDMA(B34, Band39); 4G: TD-LTE (B34, B38, B39, B40, B41); FDD-LTE (B1,B2,B3,B5,B7,B8,B20,B28)
	WLAN Radio	IEEE 802.11 a/b/g/n/ac, 2.4GHz and 5GHz
	WPAN Radio	Bluetooth 5.0
	RFID	ISO14443A/B, ISO15693, ISO18000-3, MIFARE, FelICa RF, Kovio, NFC Forum Type 1-4 Tags
	GPS	GPS, Beidou, GLONASS
Accessories	Optional	AC adapter, cable, charging cradle, 4-slot charger, etc.
Device Management	Software	Ndevor by Newland (MDM)
Warranty	Warranty	2 years